

TEST REPORT**NUMBER : BKKT13002790****DATE : 15-Mar-2013**

APPLICANT : **BNB PROGRESS CO.,LTD.**
 99/385 MOOBAN MANTHANA ON NUT WONGWAEN,
 SOI SUKHAPIBAN 2 SOI 25, DOKMAI, PARWET,
 BANGKOK, 10250, THAILAND
 ATTN : **CHARKRIT.**

SAMPLE DESCRIPTION : TWO (2) PIECES OF SUBMITTED SAMPLE SAID TO BE
 WOVEN CANVAS WITH COATED IN
 A) NAVY
 B) GREEN
 ORDER NO. : CANVAS
 STYLE NO. : -
 DATE RECEIVED/DATE TEST STARTED : 11 Mar 2013

TEST CONDUCTED : AS PER THE REQUEST OF THE APPLICANT. FOR FURTHER DETAILS PLEASE
 REFER TO ENCLOSED PAGE(S)

CONCLUSION :
 BASED UPON THE SUBMITTED SAMPLE AND TEST RESULTS REPORTED,

	(A)	(B)
TENSILE STRENGTH	M	M
TEAR RESISTANCE	#	#
WIDTH	M	M
TOTAL WEIGHT	#	#
YARN	NA	NA
THREADS DENSITY	M	M

NOTE : M = MEETS THE PROVIDED REQUIREMENT, C = COMMERCIALLY ACCEPTABLE,
 F = BELOW THE PROVIDED REQUIREMENT, U = UNACCEPTABLE,
 * = NO SUBMITTED INFORMATION, # = NO COMMENT,
 NA = NOT APPLICABLE

AUTHORIZED BY
 FOR INTERTEK TESTING SERVICES LTD. [BANGKOK]



THANATE KHONGYAI
 LABORATORY MANAGER/TEXTILE DIVISION

TEST REPORT

NUMBER : BKKT13002790
DATE : 15-Mar-2013

TEST CONDUCTED (AS REQUESTED BY THE APPLICANT)

1. TENSILE STRENGTH

DIN 53354

	(A)	(B)	<u>REQUIREMENT</u>
WARP (N/5 CM.)	2,672	2,808	2,450 N/5CM
WEFT (N/5 CM.)	2,288	2,265	2,156 N/5CM

2. TEAR RESISTANCE

DIN 53363

	(A)	(B)	<u>REQUIREMENT</u>
WARP (N)	*	*	313.6 N
WEFT (N)	171.0	244.3	255.0 N

REMARK :

* = UNTEARABLE (THE TEAR WAS CROSS-WISE TO THE NORMAL (PARALLEL) DIRECTION OF TEAR)

3. WIDTH

DIN EN ISO 2286-1

	(A)	(B)	<u>REQUIREMENT</u>
	1.07 M.	1.07 M.	1.07 M.

4. TOTAL WEIGHT

DIN EN ISO 2286-2

	(A)	(B)	<u>REQUIREMENT</u>
G/M ²	561.9	538.7	-
OZ/YD ²	16.6	15.9	

5. YARN

DIN EN ISO 2060

	(A)	(B)	<u>REQUIREMENT</u>
	NA	NA	-

REMARK :

NA = NOT APPLICABLE

6. THREADS DENSITY

DIN EN 1049-2:1994;

	(A)	(B)	<u>REQUIREMENT</u>
WARP PER CM.	7	7	7 PER CM.
WEFT PER CM.	7	7	7 PER CM.

END OF THE TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.